

Literatur zu

Ernährung in der Intensivmedizin

Update Glutamin und Antioxidanzien bei kritisch Kranken

Gunnar Elke • Thomas W. Felbinger • Konstantin Mayer

1 Casaer MP, Mesotten D, Hermans G et al. Early versus late parenteral nutrition in critically ill adults. N Engl J Med 2011; 365: 506–517

2 Heidegger CP, Berger MM, Graf S et al. Optimisation of energy provision with supplemental parenteral nutrition in critically ill patients: a randomised controlled clinical trial. Lancet 2013; 381: 385–393

3 Grimble RF. Nutritional antioxidants and the modulation of inflammation: theory and practice. New Horiz 1994; 2: 175–185

4 Heyland DK, Dhaliwal R, Day AG et al. REducing Deaths due to OXidative Stress (The REDOXS Study): Rationale and study design for a randomized trial of glutamine and antioxidant supplementation in critically-ill patients. ProcNutrSoc 2006; 65: 250–263

5 van Acker BA, Hulsewe KW, Wagenmakers AJ et al. Glutamine appearance rate in plasma is not increased after gastrointestinal surgery in humans. J Nutr 2000; 130: 1566–1571

6 Wernerman J. Role of glutamine supplementation in critically ill patients. CurrOpinAnaesthesiol 2008; 21: 155–159

7 Darmaun D, Matthews DE, Bier DM. Glutamine and glutamate kinetics in humans. Am J Physiol 1986; 251: E117–E126

- 8** Oudemans-van Straaten HM, Bosman RJ, Treskes M et al. Plasma glutamine depletion and patient outcome in acute ICU admissions. *Intensive Care Med* 2001; 27: 84–90
- 9** Soeters PB, Grecu I. Have we enough glutamine and how does it work? A clinician's view. *Ann NutrMetab* 2012; 60: 17–26
- 10** Wischmeyer PE. Clinical applications of L-glutamine: past, present, and future. *NutrClinPract* 2003; 18: 377–385
- 11** Motoyama T, Okamoto K, Kukita I et al. Possible role of increased oxidant stress in multiple organ failure after systemic inflammatory response syndrome. *Crit Care Med* 2003; 31: 1048–1052
- 12** Hardy G, Hardy I, Manzanares W. Selenium supplementation in the critically ill. *NutrClinPract* 2012; 27: 21–33
- 13** Pierre JF, Heneghan AF, Lawson CM et al. Pharmaconutrition review: physiological mechanisms. *JPEN J Parenter Enteral Nutr* 2013; 37: 51S–65S
- 14** Forceville X, Vitoux D, Gauzit R et al. Selenium, systemic immune response syndrome, sepsis, and outcome in critically ill patients. *Crit Care Med* 1998; 26: 1536–1544
- 15** Heyland D, Muscedere J, Wischmeyer PE et al. A randomized trial of glutamine and antioxidants in critically ill patients. *N Engl J Med* 2013; 368: 1489–1497
- 16** Jones NE, Heyland DK. Pharmaconutrition: a new emerging paradigm. *CurrOpinGastroenterol* 2008; 24: 215–222
- 17** Heyland DK, Dhaliwalm R, Day A et al. Optimizing the dose of glutamine dipeptides and antioxidants in critically ill patients: a phase I dose-finding study. *JPEN J Parenter Enteral Nutr* 2007; 31: 109–118

- 18** Kreymann G, Adolph M, Druml W, Jauch KW. Intensive medicine - Guidelines on parenteral nutrition, Chapter 14. Ger Med Sci 2009; 7: Doc14
- 19** Singer P, Berger MM, Van den Berghe G et al. ESPEN Guidelines on Parenteral Nutrition: intensive care. ClinNutr 2009; 28: 387–400
- 20** Heyland D, Elke G, Cook D et al. Glutamine and antioxidants in the critically ill patient: A secondary analysis of a large-scale randomized trial. JPEN J Parenter Enteral Nutr submitted
- 21** Andrews PJ, Avenell A, Noble DW et al. Randomised trial of glutamine, selenium, or both, to supplement parenteral nutrition for critically ill patients. BMJ 2011; 342: d1542
- 22** Wernerman J, Kirketeig T, Andersson B et al. Scandinavian glutamine trial: a pragmatic multi-centre randomised clinical trial of intensive care unit patients. Acta Anaesthesiol Scand 2011; 55: 812–818
- 23** MetaPlus Study, Arthur RH van Zanten, ISICEM 2013, persönliche Mitteilung
- 24** Bollhalder L, Pfeil AM, Tomonaga Y, Schwenkglenks M. A systematic literature review and meta-analysis of randomized clinical trials of parenteral glutamine supplementation. ClinNutr 2013; 32: 213–223
- 25** Novak F, Heyland DK, Avenell A et al. Glutamine supplementation in serious illness: a systematic review of the evidence. Crit Care Med 2002; 30: 2022–2029
- 26** Weitzel LR, Wischmeyer PE. Glutamine in critical illness: the time has come, the time is now. Crit Care Clin 2010; 26: 515–525, ix–x
- 27** Fadda V, Maratea D, Trippoli S, Messori A. Temporal trend of short-term mortality in severely ill patients receiving parenteral glutamine supplementation. ClinNutr 2013; 32: 492–493

28 Pasin L, Landoni G, Zangrillo A. Glutamine and antioxidants in critically ill patients. *N Engl J Med* 2013; 369: 482–484

29 Manzanares W, Dhaliwal R, Jiang X et al. Antioxidant micronutrients in the critically ill: a systematic review and meta-analysis. *Crit Care* 2012; 16: R66

30 Alhazzani W, Jacobi J, Sindi A et al. The effect of selenium therapy on mortality in patients with sepsis syndrome: A systematic review and meta-analysis of randomized controlled trials. *Crit Care Med* 2013; 41: 1555–1564

31 Huang TS, Shyu YC, Chen HY et al. Effect of parenteral selenium supplementation in critically ill patients: a systematic review and meta-analysis. *PLoS One* 2013; 8: e54431

32 Manzanares W, Langlois PL, Hardy G. Selenium pharmaconutrition in sepsis: To give or not to give? Is this still the question? *Nutr* 2013; 29: 1429–1430

33 Dhaliwal R, Cahill N, Lemieux M, Heyland DK. The Canadian critical care nutrition guidelines in 2013: An update on current recommendations and implementation strategies. *NutrClinPract* 2013 [Epub ahead of print]

34 Kreymann KG, Berger MM, Deutz NE et al. ESPEN guidelines on enteral nutrition: Intensive care. *ClinNutr* 2006; 25: 210–223

35 Dellinger RP, Levy MM, Rhodes A et al. Surviving sepsis campaign: international guidelines for management of severe sepsis and septic shock, 2012. *Intensive Care Med* 2013; 39: 165–228

36 Kompetenznetz Sepsis. Placebo Controlled Trial of Sodium Selenite and Procalcitonin Guided Antimicrobial Therapy in Severe Sepsis (SISPCT). <http://www.clinicaltrials.gov/ct2/show/NCT00832039?term=sispct&rank=1> NCT00832039 (Stand 04.11.2013)

37 Wernerman J. Glutamine supplementation. *Ann Intensive Care* 2011; 1: 25

- 38** Van den Berghe G. Low glutamine levels during critical illness – adaptive or maladaptive? N Engl J Med 2013; 368: 1549–1550
- 39** Rodas PC, Rooyackers O, Hebert C et al. Glutamine and glutathione at ICU admission in relation to outcome. ClinSci (Lond) 2012; 122: 591–597
- 40** Rayman MP Selenium and human health. Lancet 2012; 379: 1256–1268
- 41** Heyland DK. Selenium supplementation in critically ill patients: can too much of a good thing be a bad thing? Crit Care 2007; 11: 153
- 42** Jain M, Chandel NS. Rethinking antioxidants in the ICU. Am J RespirCrit Care Med 2013
- 43** Holecek M. Side effects of long-term glutamine supplementation. JPEN J Parenter Enteral Nutr 2013; 37: 607–616
- 44** Ligthart-Melis GC, Deutz NE. Is glutamine still an important precursor of citrulline? Am J PhysiolEndocrinolMetab 2011; 301: E264–E266
- 45** Hardy G, Menendez AM, Manzanares W. Trace element supplementation in parenteral nutrition: pharmacy, posology, and monitoring guidance. Nutrition 2009; 25: 1073–1084
- 46** Manzanares W, Hardy G. Selenium supplementation in the critically ill: posology and pharmacokinetics. CurrOpinClinNutrMetab Care 2009; 12: 273–280
- 47** Manzanares W, Hardy G. Selenium supplementation in critically ill patients: pharmacological issues and current evidence. NutrHosp 2009; 24: 429–436
- 48** Fachinformation selenase® 100 µg/T01D00248/R (Tx-21368) Stand Juni 2012
- 49** Fachinformation Dipeptamin(007040-E781 – Dipeptamin – n) Stand Januar 2012

50 Heyland DK, Dhaliwal R. Role of glutamine supplementation in critical illness given the results of the REDOXS study. JPEN J Parenter Enteral Nutr 2013; 37: 442–443