


## When Z-POEM comes to the rescue of classical diverticulotomy and vice versa


If the treatment of Zenker's diverticulum by flexible endoscopy seems to be the preferred option for its efficacy and safety profile [1], the recent arrival of Z-POEM (peroral endoscopic myotomy) technique has blurred the cards a little. Indeed, although the results of the Z-POEM technique seem good [2,3], no randomized comparative data is available to choose this technique over classical diverticulotomy. The theoretical advantage of classical diverticulotomy is that it cuts the mucosal relief and performs the cricopharyngeal myotomy without having a very clear marker to be certain of the completeness of the myotomy. On the other hand, Z-POEM offers the possibility to cut the muscle completely thanks to better visualization, with almost zero risk of perforation not covered by the tunnel. However, these two techniques are not 100% effective. Here we present two cases of clinical failure with recurrence of dysphagia after a Z-POEM and a diverticulotomy, respectively (► **Video 1**). To treat these patients, we chose a cross-over by making a Z-POEM to cut the muscle more deeply in the patient who had had a classical diverticulotomy [4] (► **Fig. 1**), and on the other hand, a classical diverticulotomy to cut the residual mucosal relief in the patient who had had a Z-POEM (► **Fig. 2**). In both cases it was possible to remove the residual relief of the diverticulum and a notable clinical improvement was observed.

These cases perhaps illustrate the complementarity of the two techniques and the possible need to combine them to cut the muscle more deeply thanks to Z-POEM while cutting the mucous relief at the end of the procedure so as not to leave residual mucous relief, which is a source of symptomatic recurrence.

Endoscopy\_UCTN\_Code\_CPL\_1AH\_2AH



► **Video 1** When Z-POEM comes to the rescue of classical diverticulotomy and vice versa.



► **Fig. 1** A Z-POEM was performed to cut the muscle more deeply in a patient who had had a diverticulotomy.



► **Fig. 2** A diverticulotomy was performed to cut the residual mucosal relief in a patient who had had a Z-POEM.

### Competing interests

The authors declare that they have no conflict of interest.

### The authors

**Thomas Lambin**<sup>1,2</sup>, **Pierre Lafeuille**<sup>1</sup>, **Jérôme Rivory**<sup>1</sup>, **Laura Calavas**<sup>1</sup>, **Thierry Ponchon**<sup>1</sup>, **Mathieu Pioche**<sup>1,2</sup>

<sup>1</sup> Department of Endoscopy and Hepato-Gastroenterology, Edouard Herriot Hospital, Lyon, France

<sup>2</sup> Inserm U1032, LabTAU, Lyon, France

## Corresponding author

### Thomas Lambin, MD

Endoscopy Unit – Digestive Disease  
Department, Pavillon L – Edouard Herriot  
Hospital, 69437 Lyon Cédex, France  
thomaslambin@hotmail.fr

## References

- [1] Calavas L, Brenet E, Rivory J et al. Zenker diverticulum treatment: retrospective comparison of flexible endoscopic window technique and surgical approaches. *Surg Endosc* 2020. doi:10.1007/s00464-020-7865-1
- [2] Hernández Mondragón OV, Solórzano Pineda MO, Blancas Valencia JM. Zenker's diverticulum: Submucosal tunneling endoscopic septum division (Z-POEM). *Dig Endosc* 2018; 30: 124

- [3] Yang J, Zeng X, Yuan X et al. An international study on the use of peroral endoscopic myotomy (POEM) in the management of esophageal diverticula: the first multicenter D-POEM experience. *Endoscopy* 2019; 51: 346–349
- [4] Sanaei O, Ichkhanian Y, Mondragón OVH et al. Impact of prior treatment on feasibility and outcomes of Zenker's peroral endoscopic myotomy (Z-POEM). *Endoscopy* 2020: doi:10.1055/a-1276-0219

## Bibliography

*Endoscopy* 2022; 54: E193–E194

**DOI** 10.1055/a-1481-7728

**ISSN** 0013-726X

**published online** 12.5.2021

© 2021. Thieme. All rights reserved.

Georg Thieme Verlag KG, Rüdigerstraße 14,  
70469 Stuttgart, Germany

## ENDOSCOPY E-VIDEOS

<https://eref.thieme.de/e-videos>



*Endoscopy E-Videos* is an open access online section, reporting on interesting cases and new techniques in gastroenterological endoscopy. All papers include a high quality video and all contributions are freely accessible online. Processing charges apply (currently EUR 375), discounts and waivers acc. to HINARI are available.

This section has its own submission website at

<https://mc.manuscriptcentral.com/e-videos>