This document was downloaded for personal use only. Unauthorized distribution is strictly prohibited.


SYNFORM

People, Trends and Views in Synthetic Organic Chemistry

2009/03

SYNSTORIES II II I

- Gold-Catalyzed Synthesis of Aromatic Azo Compounds from Anilines and Nitroaromatics
- Enantiodivergent Conversion of Chiral Secondary Alcohols into Tertiary Alcohols



Synthesis of 3-Chlorofurans
 and 5-Chlorofuropyrimidine
 Nucleosides Using a Pool Sanitizer
 as a Chlorocyclization Reagent





SYNFORM A22



Dear readers,

this issue features three SYNSTORIES which highlight important advances in the art of synthesis. The first article reports on an industrially important transformation, the synthesis of aromatic azo compounds, that is now

possible through a direct oxidation from anilines which in turn can be obtained by reduction of the corresponding nitroaromatics using the same gold catalyst. This striking achievement is due to the work of Professor Avelino Corma and his group from the University of Valencia (Spain). The second **SYNSTORY** covers a novel methodology for the synthesis of important compounds like halogenated heterocycles, based on the use of a rather peculiar and inexpensive reagent like a pool sanitizer (trichloroisocyanuric acid) developed by Professor Roman Dembinski and co-workers (USA). The third **SYNSTORY** reports on a conceptually innovative, exciting methodology for converting, in a stereocontrolled manner, chiral secondary alcohols into teriary alcohols using boron reagents, as described in the original Nature report by Professor Varinder K. Aggarwal (UK).

Enjoy your reading!!!

Matteo Zanda

Editor of SYNFORM

CONTACT ++++

If you have any questions or wish to send feedback, please write to Matteo Zanda at:

Synform@chem.polimi.it

IN THIS ISSUE

SYNSTORIES . .

Gold-Catalyzed Synthesis of Aromatic	
Azo Compounds from Anilines	
and Nitroaromatics	A2 3
Synthesis of 3-Chlorofurans and 5-Chlorof	uro-
pyrimidine Nucleosides Using a Pool Sanit	izer
as a Chlorocyclization Reagent	A2 4
Enantiodivergent Conversion of Chiral	
Secondary Alcohols into Tertiary Alcohols	A26
COMING SOON	A 28

SYNFORM, 2009/03

NEWS AND VIEWS ■ ■ NEWS AND VIEWS ■ ■ NEWS AND VIEWS ■ ■

Gold-Catalyzed Synthesis of Aromatic Azo Compounds from Anilines and Nitroaromatics

Science 2008, 322, 1661-1664

$$\frac{\text{NO}_2}{\text{Au/TiO}_2 \text{ (1 wt\%)}} \qquad \frac{\text{NH}_2}{\text{Au/TiO}_2 \text{ (1 wt\%)}} \qquad \frac{\text{O}_2 \text{ (5 bar)}}{\text{Au/TiO}_2 \text{ (1 wt\%)}}$$

$$T = 100-120 \text{ °C; time = 6-9 h} \qquad >92\% \text{ yield; > 98\% conversion; > 92\% selectivity}$$

■ Organic chemistry is doing an outstanding job in creating new highly complex molecules. Meanwhile, it has been responsible, in conjunction with catalysis and chemical engineering, for many manufactured products that improve both the quality and length of our lives. However, when one reviews industrial processes involving the production of chemicals, one sees that there are still cases where dangerous and/or sacrificial stoichiometric reactants are being used. Now, the group of Professor Avelino Corma from the University of Valencia (Spain) has developed a novel technology allowing for the direct oxidation of anilines and nitroaromatics to azo compounds, in high yields and selectivities, by exploiting a novel gold catalyst.

"We have concentrated part of our research efforts on the development of solid catalysts which allow the design of alternative chemical routes that avoid the use of dangerous reactants and substitute stoichiometric by catalytic processes," explained Professor Corma. "Following this, we introduced a new catalyst system (Sn-Beta and Sn-MCM-41) that allows us to synthesize lactones using H₂O₂ as oxidant instead of the classical organic peracids (Nature 2001, 412, 423), to use solid acids or bases instead of mineral or organic acids and bases for a large number of reactions (Chem. Rev. 1997, 97, 2373; Advances in Catalysis, Vol. 49; B. C. Gates, H. Knozinger, Eds.; Academic Press, 2006, 239-302; Catal. Rev. - Sci. Eng. 2004, 46, 369), to prepare metal catalysts for the chemoselective reduction of substituted aromatic compounds using H₂ as reactant (Science 2006, 313, 332), and now to synthesize aromatic azo compounds from anilines and from nitroaromatics in a one-pot reaction. These types of catalysts based on gold and on platinum decorated with titanium oxide open new possibilities for the processes described above."

In the case of azo compounds, the catalytic process discovered by Professor Corma and his co-workers avoids the use

of lead tetraacetate or stoichiometric amounts of nitrite salts. "Furthermore," confirmed Professor Corma, "the fact that the same gold-supported catalyst allows us to carry out selectively the reduction of substituted nitroaromatics to the corresponding anilines and the oxidation of the anilines formed to the azo compounds has opened the possibility for a cleaner, more intensive one-pot process. We are hoping that industry will be interested in this new system and will study the economic and practical viability." This work on the catalytic synthesis of azo compounds followed, rationally, previous work by Professor Corma's research group on the reduction of substituted nitroaromatics, since a mechanistic study showed that the azo compounds are potential intermediates, at least through one of the routes for producing anilines from nitroaromatics. "We are already finding that these catalysts and the already reported processes allow the opening of new routes for synthesizing additional products of commercial interest through cascadetype reactions," concluded Professor Corma.

Matteo Zanda



Prof. A. Corma and co-workers discussing the progress of the work

Synthesis of 3-Chlorofurans and 5-Chlorofuropyrimidine Nucleosides Using a Pool Sanitizer as a Chlorocyclization Reagent

Eur. J. Org. Chem. 2008, 3449-3452; Synfacts 2008, 1145 (Synfact of the Month)

■ The development of simple and inexpensive procedures for the preparation of complex building blocks, like halogenated heterocycles and their derivatives, continues to be an important area of research. Recently, Professor Roman Dembinski and his co-workers Dr. Adam Sniady and Marco S. Morreale from the Oakland University (Rochester, USA), together with Professor Kraig A. Wheeler from the Eastern Illinois University (Charleston, USA), described a novel electrophilic halocyclization reaction that represents an efficient and potent methodology leading to functionalized heterocycles by a tandem cycloisomerization-halogenation processes. The electrophilic component serves as both cycloisomerization catalyst and halogen donor, thus creating a very effective process from the standpoint of material economy. "Despite the fact that useful compounds like iodo, bromo, thio, seleno, and telluro derivatives can be produced relatively easily with the use of halogen or pseudohalogen reagents," said Professor Dembinski, "chlorocyclization reactions remain little explored due, in part, to the diminished electrophilic character of chlorine compared to iodine or bromine."

"After initial screening," continued Professor Dembinski, "we succeeded in a chlorocyclization reaction using trichloros-triazinetrione (TCCA, or trichloroisocyanuric acid). Although inexpensive, it is seldom used in laboratories, mainly due to its dual oxidation/chlorination activity or lack of chlorination




Illustration by Tomasz Sniady

selectivity. Adam and Marco were able to find reaction conditions that include slow reagent addition via a syringe pump at ambient temperature. Such a procedure practically eliminated the formation of overchlorination products." TCCA uses all its chlorine atoms (thus featuring an effective halogen economy) in the reactions yielding 3-chlorofurans or 5-chlorofuropyrimidine nucleosides. "We realized that this reagent is sold commercially for swimming pool/spa treatments," said Professor Dembinski. "Dr. Wayne Meyer (Chemtura, USA) supplied us with the BioGuard SmartSticks," he continued. "We noticed that the TCCA contents sold in a chemicals catalogue almost match those of a pool care system. However, we had to grind the sticks to provide better homogeneity of the reaction. We also used boronic acids from a wide palette generously provided by Frontier Scientific (USA), a manufacturer of a variety of specialty boron compounds."

The appeal of aryl/heteroaryl chlorides produced by this novel methodology can be attributed to their versatility as reaction precursors in cross-coupling processes, and their lower costs as compared to iodides, bromides, or triflates. "Even so, the relatively few examples of arylation reactions employing heteroaryl chlorides reported have been largely limited to the position α to a heteroatom (predominantly nitrogen)," noticed Professor Dembinski. "Heteroaryl chlorides are readily available by direct chlorination of aromatic compounds; however, such reactions are frequently restricted to activated positions or are less selective compared to the other halogens and lead to difficult-to-separate multiple products. We believe that this novel methodology provides a useful alternative entry to these interesting chloro heterocycles and may further advance the development of chlorocyclization reactions."

In a commentary to this work, Victor Snieckus, a Professor of Organic Chemistry from Queen's University, Kingston, Ontario (Canada) and an Editor of *Synlett* and *Synfacts*, said: "The report by Dembinski and co-workers was chosen unanimously to abstract as *Synfact* of the Month by our group against some serious competition. In our *Synfacts* abstract's commentary," continued Professor Snieckus, "we noted that it is a simple and convenient procedure for the synthesis of

3-chlorofurans in excellent preparative yields, that it uses inexpensive and readily available (we no doubt will think of the authors' source when we, in Canada, see the replacement of snow by water in the swimming pools) chlorination/oxidation reagent, that it uses easily accessible starting materials, and that it achieves a difficult substitution pattern for furans.

The somewhat limited substrate scope investigated is ameliorated by intelligently chosen examples and the application to furopyrimidine nucleosides which are potent antiviral agents," concluded Professor Snieckus.





From left: Prof. R. Dembinski, M. S. Morreale, Dr. A. Sniady



Prof. K. A. Wheeler

About the authors

Adam Sniady obtained his M.Sc. in chemistry from the Technical University of Łódź (Poland). In 2008 he graduated with a Ph.D. (advisor Roman Dembinski) from Oakland University (USA). His thesis focused on developing new synthetic methodologies, including electrophilic cyclizations, and the synthesis of modified nucleosides. Currently he is a postdoctoral associate with Prof. Timothy Jamison at the Massachusetts Institute of Technology (USA).

Marco S. Morreale obtained his B.A. in chemistry from Wayne State University (USA) in 1999. He entered the graduate program in chemistry at Oakland University in 2004. Under the direction of Roman Dembinski, he is currently investigating cyclization strategies for the synthesis of substituted furans and other heterocycles, and their reactivity.

Kraig A. Wheeler received his bachelor's degree in chemistry at the University of Minnesota (USA) in 1987 (Margaret Etter) and a Ph.D. from Brandeis University (USA) in 1992 (Bruce Foxman). After postdoctoral studies at the University of Texas at Austin (USA) (Ray Davis and Jim Whitesell) he moved on to a career in academia. Currently he serves as an Associate Professor at Eastern Illinois University (USA) where his research interests include chemical crystallography, molecular recognition of quasiracemate materials, and molecular-shape-directed supramolecular assemblies.

Roman Dembinski was educated (Ph.D.) at the Polish Academy of Sciences, Centre of Molecular and Macromolecular Studies, Łódź (Poland) (undergraduate studies at the Technical University of Łódź). He then joined the group of J. A. Gladysz at the University of Utah (USA) as a research associate. Since 1999 he has held a faculty appointment at Oakland University. His scientific interests include synthetic organic, fluorous, medicinal, and organometallic chemistry.

Enantiodivergent Conversion of Chiral Secondary Alcohols into Tertiary Alcohols

Nature 2008, 456, 778-782

Conversion of secondary alcohols into tertiary alcohols, essentially by removing a proton and adding the R^2 group, but of course it is more complicated than that!

A straightforward and enantiodivergent reaction allowing for the preparation of tertiary alcohols in both optical forms starting from a single enantiopure secondary alcohol was a sort of dream reaction for organic chemists. Now such a process has become reality thanks to the work of Professor Varinder K. Aggarwal and his group from the University of Bristol (UK). This striking methodology, which has a broad scope as it can be used for the synthesis of both cyclic and acyclic tertiary carbinols, is based on the formation of an intermediate carbon-boron bond from a metalated N,N-diisopropyl carbamate (Cb) alcohol derivative. This key process can take place with retention or inversion of configuration, depending on the nature of the boron reagent (see the scheme above). The carbamovloxy function (OCb) is then displaced, with inversion of configuration, by the incoming R² function, originally bound to the boron atom. The carbon-boron bond is then oxidatively cleaved with retention of configuration by action of hydrogen peroxide, and transformed into the final carbon-oxygen bond.

"Basically, we have a conceptually new way of making quaternary centres via tertiary boronic esters," said Professor Aggarwal. "The conversion into tertiary alcohols illustrates this, but there are competing technologies for such compounds, such as the work by Walsh (*J. Am. Chem. Soc.* **2005**, *127*, 16416) and Yus (*Tetrahedron: Asymmetry* **2005**, *16*, 3341). Our work, though, provides a non-intuitive and different disconnection with more readily available reagents. Further-

more," continued Professor Aggarwal, "the power in the chemistry will come from the other transformations that are open to the tertiary boronic esters, for example, conversion into amines and all-carbon quaternary stereogenic centres. This will be the subject of forthcoming papers." Pharmaceuticals and agrochemicals sometimes contain (one of) tertiary alcohols, C-tertiary amines or all-carbon quaternary stereogenic centres. "Our new method provides a reliable route to this important class of compounds. By having a new and different synthesis it opens the door to the synthesis of many more compounds of this sort and so enables the testing of such compounds much more easily. Although such compounds have not found widespread application in the past, this could, in part, be due to their poor availability. It is to some extent the chicken and egg question," concluded Professor Aggarwal.

Matteo Zanda

About the authors

Varinder K. Aggarwal was born in Kalianpur in North India in 1961 and immigrated to the United Kingdom in 1963. He received his B.A. (1983) and Ph.D. (1986) from Cambridge University, the latter under the guidance of Dr. Stuart Warren.

>>



He was subsequently awarded a Harkness fellowship to carry out post-doctoral work with Professor Gilbert Stork at Columbia University (USA) from 1986–1988. He returned to a lectureship at Bath University (UK) and in 1991 moved to Sheffield University (UK), where in 1997, he was promoted to Professor of

Organic Chemistry. In 2000, he moved to the University of Bristol to take up the Chair of Synthetic Chemistry. He is the recipient of the AstraZeneca Award, Pfizer Award, GlaxoWelcome Award, Novartis Lectureship, RSC Hickinbottom Fellowship, Nuffield Fellowship, RSC Corday Morgan Medal and the Liebigs Lecturship (Germany), 1999/2000 (inaugural), RSC Green Chemistry Award (2004), Zeneca Senior Academic Award (2004), RSC Reaction Mechanism Award (2004), Royal Society Wolfson Merit Award (2006), RSC/GDCh-Alexander Todd—Hans Krebs Lectureship (2007), RSC Tilden Lecturer (2007), and an EPSRC Senior Research Fellowship (2007).




Rosalind M. French was born in Taplow (UK). She received her M.Sc. from Oxford University (UK) in 2006 under the supervision of Dr. Veronique Gouverneur. In 2006 she commenced her Ph.D. studies in the group of Professor Aggarwal at Bristol University and is currently working on the lithiation/borylation reactions of secondary benzyl carbamates.

Jake Stymiest was a PDRA from Alberta (Canada) (Ph.D. with Professor John C. Vederas), and a postdoctoral fellow with Professor Aggarwal from 2005–2007 in Bristol. Currently he is a Senior Research Chemist for Purdue Pharma (USA), working at the Coventry site in Rhode Island (USA).

Viktor Bagutski is a PDRA from Göttingen (Germany) (Ph.D. with Professor Armin de Meijere) and is currently in his final year with Professor Aggarwal.

INFORMATION ++++



Do you already have your Protecting Groups?

"... it is well organized, covers useful information, and is eminently readable – an excellent combination."

P. DeShong, University of Maryland, USA, J. AM. CHEM. SOC., 2006

"... by far the best book on protection groups ..."

T. Laird, Scientific Update, UK, Organic Process Research & Development, 2005

COMING SOON ▶ ▶ COMING SOON ▶ ▶

SYNFORM 2009/04 is available from April 22, 2009

In the next issues:

SYNSTORIES . .

- A Diels-Alder Approach to Benzannulated [5,6]-Spiroketals (Focus on an article from the current literature)
- Manganese-Catalyzed Cross-Coupling Reaction Between Aryl **Grignard Reagents and Alkenyl Halides**

(Focus on an article from the current literature)

FURTHER HIGHLIGHTS ++++

SYNTHESIS

Review on: Michael Additions to Activated Vinylphosphonates (by T. Janecki)

SYNLETT

Account on: Synthetic Efforts towards the Synthesis of the Complex Diterpene Providencin

(by J. Mulzer)

SYNFACTS

Synfact of the Month in category "Metal-Mediated Synthesis":

Efficient Co-Catalyzed Coupling of Aryl Grignard Reagents with Alkyl Bromides

CONTACT ++++

Matteo Zanda.

C.N.R. - Istituto di Chimica del Riconoscimento Molecolare, Via Mancinelli, 7, 20131 Milano, Italy,

e-mail: Synform@chem.polimi.it, fax: +39 02 23993080

Editor

Matteo Zanda, C.N.R. - Istituto di Chimica del Riconoscimento Molecolare Via Mancinelli, 7, 20131 Milano, Italy

Synform@chem.polimi.it Fax: +39 02 23993080

Editorial Office

- Managing Editor: Susanne Haak, susanne.haak@thieme.de, phone: +49 711 8931 786
- Scientific Editor: Selena Boothroyd, selena.boothroyd@thieme.e
- Assistant Scientific Editor: Stefanie Baumann, stefanie.baumann@thieme.de, phone: +49 711 8931 776
- Senior Production Editor: Thomas Loop thomas.loop@thieme.de, phone: +49 711 8931 778
- Production Editor: Helene Deufel.
- helene.deufel@thieme.de, phone: +49 711 8931 929 Production Assistant: Thorsten Schön,
- thorsten.schoen@thieme.de, phone: +49 711 8931 781 Editorial Assistant: Sabine Heller,
- sabine.heller@thieme.de, phone: +49 711 8931 744
- Marketing: Thomas Krimmer,
- thomas.krimmer@thieme.de, phone: +49 711 8931 772 Postal Address: SYNTHESIS/SYNLETT/SYNFACTS, Editorial Office, Georg Thieme Verlag KG, Rüdigerstraße 14, 70469 Stuttgart, Germany, phone: +49 711 8931 744, fax: +49 711 8931 777

phone: +49 /11 8931 /44, tax: +49 /11 8931 /77/

▶ Homepage: www.thieme-chemistry.com

Publication Information

SYNFORM will be published 11 times in 2009 by Georg Thieme Verlag KG, SI Ridigerstraße 14, 70460 Stuttgart Germany, and is an additional online ser. Rüdigerstraße 14, 70469 Stuttgart, Germany, and is an additional online service for SYNTHESIS, SYNLETT and SYNFACTS.

Publication Policy

Product names which are in fact registered trademarks may not have been specifically designated as such in every case. Thus, in those cases where a product has been referred to by its registered trademark it cannot be concluded that the name used is public domain. The same applies as regards patents or registered designs.

Ordering Information for Print Subscriptions to SYNTHESIS,

Ordering Information for Print Subscriptions to SYNTHESIS, SYNLETT and SYNFACTS

Americas: Thieme New York, 333 Seventh Avenue, New York, NY 10001, USA. To order: customerservice@thieme.com or use the Web site facilities at www.thieme.com, phone: +1 212 760 0888 Order toll-free within the USA: +1 800 782 3488

Fax: +1 212 947 1112 Airfreight and mailing in the USA by Publications Expediters Inc.,

200 Meacham Ave., Elmont NY 11003. Periodicals postage paid at Jamaica NY 11431

All other countries: Thieme Publishers, Rüdigerstraße 14, 70469 Stuttgart, Germany. To order: customerservice@thieme.de or use the Web site facilities at www.thieme.com.

For further inquries please contact Mrs. Birgid Härtel: Phone: +49 711 8931 421; Fax: +49 711 8931 410

Current list prices are available through www.thieme-chemistry.com.

Online Access via Thieme-connect

The online versions of SYNFORM as well SYNTHESIS, SYNLETT and SYNFACTS are available through Thieme-connect (www.thieme ect.com/ejournals) where you may also register for free trial accounts. For information on multi-site licenses and pricing for corporate customers as well as backfiles please contact our regional offices:

Americas: esales@thieme.com, phone: +1 212 584 4695

All other countries: eproducts@thieme.de, phone: +49 711 8931 407

Manuscript Submission to SYNTHESIS and SYNLETT

Please consult the Instructions for Authors before compiling a new manuscript. The current version and the Word template for manuscript preparation are available for download at www.thieme-chemistry.com. Use of the Word template helps to speed up the refereeing and production process.

Copyright

This publication, including all individual contributions and illustrations published therein, is legally protected by copyright for the duration of the copyright period. Any use, exploitation or commercialization outside the narrow limits set by copyright legislation, without the publisher's consent, is illegal and liable to criminal prosecution. This applies translating, copying and reproduction in printed or electronic media forms (databases, online network systems, Internet, broadcasting, telecasting, CD-ROM, hard disk storage, microcopy edition, photomechanical and other reproduction methods) as well as making the material accessible to users of such media (e.g., as online or

Copyright Permission for Users in the USA

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Georg Thieme Verlag KG Stuttgart · New York for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of US\$ 25.00 per copy of each article is paid directly to CCC, 22 Rosewood Drive, Danvers, MA 01923, USA, 0341-0501/02.