

## Gastric inflammatory myofibroblastic tumor masquerading as a pancreatic cystic neoplasm


A 56-year-old man presented with epigastric pain since 2 weeks. Esophagogastroduodenoscopy (EGD) revealed a 3-cm submucosal mass in the posterior wall of the gastric body. Abdominal ultrasound showed a multilocular cystic lesion ( $10 \times 6 \times 9$  cm) in the pancreatic tail. Endoscopic ultrasound (EUS) confirmed a multicystic lesion arising from the pancreas (● Fig. 1).

The cysts were macrocystic in nature, ranging from 1 cm to 2 cm in size, and were intermixed with solid tumor. There was no evidence of internal calcifications or connection to the pancreatic duct. The EUS features were suggestive of a mucinous cystadenocarcinoma of the pancreas. However, a subsequent computed tomography scan revealed that the multilocular lesion was arising from the posterior wall of the stomach; this was confirmed on laparotomy (● Fig. 2).

Macroscopically, the tumor was a lobulated, circumscribed mass with a mix of solid and cystic components (● Fig. 3).

Histologically, it consisted of proliferating spindle cells in a fibromyxoid stroma, admixed with a moderate amount of mixed inflammatory cellular infiltrate, compatible with a gastric inflammatory myofibroblastic tumor (IMT).


IMTs are rare neoplasms in adults. Microscopically, they are composed of spindle cells with abundant cytoplasm on an inflammatory background [1]. The diagnosis of IMT is often difficult and there are




**Fig. 1** Endoscopic ultrasound showing a multicystic lesion intermixed with a solid tumor.

scarce reports of the EUS appearances. A well-defined hypoechoic mass arising from the submucosa, similar to gastrointestinal stromal tumors, has been described [2,3]. However, a multilocular

cystic appearance along with solid components has not been previously documented in the literature. In the present case, the lesion was initially mistaken to be a pancreatic cystic neoplasm and a ret-



**Fig. 2** Computed tomography (CT) appearances of the gastric inflammatory myofibroblastic tumor.



**Fig. 3** Macroscopic appearance of the lobulated, circumscribed mass with mixed solid and cystic components.

rospective review of the EUS images demonstrated that the tumor was indeed arising from the gastric wall. The mainstay of treatment for IMT is resection with clear margins [4,5]. After complete resection, the prognosis of IMT is generally good with a low risk of distant metastasis [1,4,5].

**Competing interests:** None

Endoscopy\_UCTN\_Code\_CCL\_1AB\_2AD\_3AB  
Endoscopy\_UCTN\_Code\_CCL\_1AF\_2AZ\_3AB

**A. K. W. Fong, A. Y. B. Teoh,  
P. W. Y. Chiu, S. K. H. Wong, E. K. W. Ng**  
Division of Upper Gastrointestinal Surgery,  
Department of Surgery, Prince of Wales  
Hospital, Chinese University of Hong Kong,  
Hong Kong SAR, China

#### References

- 1 Coffin CM, Watterson J, Priest JR et al. Extrapulmonary inflammatory myofibroblastic tumor (inflammatory pseudotumor). A clinicopathologic and immunohistochemical study of 84 cases. *Am J Surg Pathol* 1995; 19: 859–872

- 2 Leon CJ, Castillo J, Mebold J et al. Inflammatory myofibroblastic tumor of the stomach: an unusual complication after gastrectomy. *Gastrointest Endosc* 2006; 63: 347–349
- 3 Shah SM, Sussman D, Jorda M et al. EUS with EMR of an inflammatory myofibroblastic tumor of the stomach. *Gastrointest Endosc* 2008; 67: 561–563
- 4 Difiore JW, Goldblum JR. Inflammatory myofibroblastic tumor of the small intestine. *J Am Coll Surg* 2002; 194: 502–506
- 5 Pungpapong S, Geiger XJ, Raimondo M. Inflammatory myofibroblastic tumor presenting as a pancreatic mass: a case report and review of the literature. *JOP* 2004; 5: 360–367

#### Bibliography

**DOI** 10.1055/s-0029-1244227

*Endoscopy* 2010; 42: E231–E232

© Georg Thieme Verlag KG Stuttgart · New York ·  
ISSN 0013-726X

#### Corresponding author

**E. K. W. Ng**

Department of Surgery  
Prince of Wales Hospital  
Shatin New Territories  
Hong Kong SAR  
China

Fax: +852-2637-7974

endersng@surgery.cuhk.edu.hk