


G. M. FISCHER, E. DALTROZZO, A. ZUMBUSCH* (UNIVERSITÄT KONSTANZ, GERMANY)

Selective NIR Chromophores: Bis(pyrrolopyrrole) Cyanines

Angew. Chem. Int. Ed. **2011**, *50*, 1406-1409.

Selective NIR-Absorbing Dyes



Significance: Near-infrared (NIR) dyes that do not absorb in the visible range have potential as heat-blocking window coatings, laser-protecting glasses or as antiforgery markers. The authors present the synthesis of a series of NIR-absorbing bis(pyrrolopyrrole) cyanine dyes (**4** and **5** as well as derivatives with different side and end groups) that meet these criteria.

Comment: Rigidifying the conjugated system of **4** by introduction of BPh_2 groups (leading to **5**) results in a red shift of the absorption maximum by 65 nm as well as in narrowing the absorption bands and in an increase of the extinction coefficient ($\epsilon = 277'000 \text{ M}^{-1} \text{ cm}^{-1}$ for **4** to $\epsilon = 571'000 \text{ M}^{-1} \text{ cm}^{-1}$ for **5**).

SYNFACTS Contributors: Timothy M. Swager, Jan M. Schnorr
Synfacts 2011, 8, 0840-0840 Published online: 20.07.2011
DOI: 10.1055/s-0030-1260701; **Reg-No.:** S07811SF

2011 © THIEME STUTTGART • NEW YORK