


Q. ZHOU, A. RUFFONI, R. GIANATASSIO, Y. FUJIWARA, E. SELLA, D. SHABAT,
P. S. BARAN* (THE SCRIPPS RESEARCH INSTITUTE, LA JOLLA, USA AND TEL-AVIV
UNIVERSITY, ISRAEL)

Direct Synthesis of Fluorinated Heteroarylether Bioisosteres

Angew. Chem. Int. Ed. **2013**, *52*, 3949–3952.


Direct Difluoroethylation of Hetero- aromatics, Michael Acceptors and Thiols



R^1 = various substituted heteroaromatics, Michael acceptors and thiols

R^2 = Me, $CH_2-4-BrC_6H_4$, $(CH_2)_6Cl$

Selected examples:



Significance: A novel protocol for direct difluoroethylation of a broad range of heterocycles, Michael acceptors and even thiols with sodium difluoroethylsulfonate (DFES-Na) has been described. DFES-Na is shown to be compatible with various sensitive functional groups, reacts site selectively in high conversion and is easy to handle.

Comment: Interestingly, performing the reaction with DFES-Na and *tert*-butylhydroperoxide (TBHP) solely results in only traces of the desired product. Only after addition of stoichiometric amounts of $ZnCl_2$ and $TsOH \cdot H_2O$, the product is obtained in high yield.

SYNFACTS Contributors: Paul Knochel, Andreas K. Steib
Synfacts 2013, 9(6), 0649 Published online: 16.05.2013

DOI: 10.1055/s-0033-1338732; **Reg-No.:** P05113SF