

# Index to Volume 30

## Authors

Aazh H, 712, 772, 802  
 Abrams H, 472  
 Agrawal SK, 227  
 Aithal S, 781  
 Aithal V, 781  
 Alemi R, 396  
 Ali YHK, 417  
 Allan C, 904  
 Allen P, 904  
 Ameyaw GA, 178  
 Anderson S, 781  
 Andersson G, 31, 472  
 Anim-Sampong S, 178  
 Ankmnal-Veeranna S, 904  
 Arndt S, 607  
 Arnold ML, 145  
 Aschendorff A, 607  
 Azios JH, 31, 810  
 Azzarello J, 845

Baguley DM, 802  
 Bailey A, 472  
 Bakke M, 659  
 Baldock J, 264  
 Baldwin J, 845  
 Balen SA, 6  
 Barac-Cikoja D, 659  
 Baril I, 720  
 Barman A, 753  
 Behrens T, 634  
 Bellon-Harn M, 31  
 Bellon-Harn ML, 810  
 Benedict C, 856  
 Bennett ML, 918  
 Bennett RJ, 516  
 Beshear D, 493  
 Bornman M, 217  
 Brittz M, 482  
 Brown CRS, 564  
 Brännström KJ, 169  
 Bush M, 493  
 Buñag R, 78  
 Butera IM, 235

Cameron S, 533  
 Canale E, 431  
 Carlson KF, 250  
 Castillo P, 431  
 Cañete OM, 564  
 Chang H-Y, 187  
 Chen W-X, 672  
 Chermak G, 451, 735  
 Chew YY, 346  
 Chisolm TH, 145

Ciro CA, 845  
 Cline T, 493  
 Couture M, 720  
 Coyle D, 93  
 Cruickshanks KJ, 282  
 Côté, 720

Dalton DS, 282  
 Danesh AA, 772  
 Daneshi A, 896  
 Danhauer JL, 677  
 Davidson LS, 703  
 Davis A, 208  
 De Jager LB, 217  
 Diehm E, 273  
 Dillard LK, 282, 406  
 Dockens AL, 31, 810  
 Doettl SM, 792  
 Dorman MF, 731  
 Durieux-Smith A, 93  
 Dwyer RT, 235

Easterday M, 634, 792  
 Eikelboom RH, 217, 516  
 Entwisle L, 827  
 Escabi CD, 145

Fang X, 54  
 Farhadi M, 896  
 Feeney MP, 250  
 Ferguson MA, 417  
 Fischer ME, 282  
 Fitzpatrick EM, 93  
 Fitzpatrick J, 93  
 Flagge A, 31  
 Folkeard P, 227, 856  
 Folmer RL, 250  
 Fox A, 764  
 Frederick MT, 145, 406

Gaboury I, 93  
 Gaeta L, 845  
 Gaffney P, 550  
 Galster J, 315  
 Gardner A, 145  
 Gifford RH, 235, 918  
 Gilbane MS, 918  
 Glassman J, 273  
 Glista D, 552  
 Gopal KV, 431, 619  
 Gorga MP, 16  
 Goupell MJ, 659  
 Govindaswamy R, 744

Hallendorf L, 169  
 Harianawala J, 315

Harn WE, 810  
 Hatton K, 293  
 Hau O, 590  
 Hawkins M, 552  
 Haynes DS, 918  
 Heacock RM, 451, 871  
 Hedrick M, 103  
 Heeke P, 54  
 Heinze B, 482  
 Helmer D, 764  
 Herring CC, 54  
 Hoffer ME, 579  
 Hood LJ, 459  
 Hornsby B, 315  
 Hua N-Y, 672  
 Huang Y, 672  
 Huber A, 607  
 Hudson MA, 845  
 Hutcheson A, 431

Jacobson GP, 248, 450, 656  
 Jagadish N, 744  
 Janeteas C, 227  
 Jiang W, 672  
 Jilla AM, 677  
 John AB, 845  
 Johnson CE, 677, 845  
 Jones J, 431

Kaiser K, 431  
 Kallogjeri D, 502  
 Kapadia S, 264  
 Karayanidi K, 115  
 Kei J, 781  
 Kelley KS, 363  
 Kelly-Campbell RJ, 31  
 Kessler D, 235  
 Kitner BH, 357  
 Klein BEK, 282  
 Klein R, 282  
 Koch RW, 227  
 Kopun JG, 16  
 Korhonen P, 302, 590  
 Kuk F, 302, 590

Ladak HM, 227  
 Lake AB, 41  
 Langley LM, 208  
 Laszig R, 607  
 Leblond J, 720  
 Ledda KT, 502  
 Lee R, 93  
 Lehman M, 883  
 Lehmann A, 396  
 Lewis JD, 792

- Liebenberg S, 781  
Littenberg B, 363  
Lo T-S, 187  
Long GR, 459  
Lu P, 672  
Luo C-H, 187
- Mahmoudian S, 896  
Mahomed-Asmail F, 482  
Maidment DW, 417  
Makowiec K, 293  
Malmstein E, 169  
Manchaiah V, 31, 472, 810  
Mann L, 883  
Martindale AT, 856  
Mathews L, 431  
McCarron K, 764  
McCaslin D, 293  
McCaslin DL, 344, 550, 742  
McCullough S, 431  
McFarland DJ, 649  
McMahon CM, 208  
Mealings K, 533  
Messersmith JJ, 827  
Meyer CJ, 516  
Mills LE, 619  
Mohebbi M, 896  
Montano JJ, 871  
Montminy S, 720  
Moodie S, 227  
Moore BCJ, 772, 802  
Moore DR, 6  
Morency C-E, 720  
Mosley CL, 208  
Mülder HE, 607  
Murfee J, 918  
Musiek F, 451, 735  
Muñoz K, 66, 444
- Nagle S, 694  
Nair E, 198  
Nandy R, 619  
Nassiri AM, 919  
Natale SC, 731  
Neff M, 564  
Neely ST, 16  
Nelson L, 66  
Nelson MD, 883  
Nicholson C, 883  
Nickerson A, 703  
Nondahl DM, 282
- Oeding K, 502  
Olsson A, 169  
Ong C, 444  
Oree PH, 145  
Osinubi O, 764P
- Pakulski LA, 273  
Palmer S, 694  
Pankow JS, 282  
Parsa V, 552
- Paulsen AJ, 282  
Peck JE, 927  
Penman T, 145  
Phillips BS, 619  
Picou EM, 131  
Pigeon A, 451  
Pilch S, 656  
Plyler PN, 103, 634, 792  
Pomponio ME, 694  
Post CE, 54  
Pourmand N, 552  
Preminger JE, 871  
Price T, 66  
Purdy SC, 564
- Quar TK, 346
- Rajguru S, 579  
Rasetshwane DM, 16  
Rawool V, 78  
Raybine DA, 16  
Reed MB, 153  
Ribera J, 178  
Ricketts TA, 131  
Riska K, 764  
Roberts JB, 918  
Romero DJ, 357  
Roos M, 720  
Roy J-S, 720
- Salamatmanesh M, 93  
Salvi R, 712  
Sameshima K, 6  
Sanchez KR, 677  
Sanchez VA, 145  
Satcher S, 764  
Saunders G, 250  
Saunders GH, 145, 406  
Schafer EC, 431  
Schmid F, 607  
Schubert CR, 282  
Scollie S, 227, 552  
Scott M, 827  
Searchfield GD, 327  
Sell S, 250  
Seper E, 302, 590  
Shinn J, 493  
Silverman SPC, 145, 406  
Singh NK, 744, 753  
Skoe E, 115  
Slugocki C, 302, 590  
Smart JL, 694  
Smith KJ, 357  
Snapp HA, 579  
Sousa R, 198  
Spahr A, 579  
Spankovich C, 459  
Speck I, 607  
Squires ES, 273  
Stoltz A, 482  
Stuart A, 41  
Sullivan JC, 677  
Swanepoel DW, 217, 482
- Tai C-C, 187  
Tardy B, 103  
Thirunavukkarasu K, 753  
Thompson S, 431  
Thorne PR, 564  
Torre P, 153  
Tremblay KL, 208  
Trott S, 493  
Tseng C-L, 764  
Tweed TS, 282  
Twohig M, 66  
Twohig MP, 444
- Uchanski RM, 703  
Umat C, 346
- Vachhani J, 250  
Vaisberg JM, 552, 856  
Valente M, 502  
van Steenbrugge W, 264  
Vermiglio AJ, 54
- Waechter S, 169  
Wang B, 672  
Wang Y, 672  
Wannagot S, 198  
Warren S, 827  
Weihsing J, 451, 493, 735  
Wesarg T, 607  
Westermann LC, 145  
Whicker JJ, 444  
Whittingham JA, 93  
Wiebe K, 607  
Wilson MJ, 357  
Wilson RH, 370
- Xu Z-M, 672
- Yawn RJ, 918
- Zaleski-King A, 659
- Key Words**
- (central) auditory processing, 694  
(central) auditory processing disorder, 694
- achieved gain, 346  
action potential, 41  
adaptive test, 315  
adults, 552  
adult children, 93, 677, 871  
adverse childhood experiences, 772  
AEMT, 315  
Africa, 178  
age-related hearing loss, 145, 208, 250, 273, 417  
aging, 208, 217, 845  
agreement, 363  
aided audibility index, 16

- air conduction oVEMP, 753  
american academy of audiology  
  guidelines, 827  
amplification, 93, 502  
amplitude modulation, 533  
anxiety, 802  
assessment, 792, 845  
assistive listening device, 187, 579  
attention, 451  
audiologists, 677  
audiology, 54, 178, 250, 810  
audiometry, 208, 482  
auditory neuropathy, 672  
auditory perception, 370  
auditory plasticity, 564  
auditory processing disorder, 6, 904  
auditory processing disorders, 451, 904  
auditory rehabilitation, 198, 250, 406, 871  
auditory steady-state response, 672  
auditory training, 431  
autism spectrum disorder, 431  
automated audiometry, 217  
axonal conduction time, 904
- balance, 883  
beamformer, 731  
best practice guidelines, american  
  academy of audiology, 827  
bilingual, 115  
Bluetooth, 187  
brong-ahafo regional hospital, 178
- Caucasian, 78  
central auditory function, 282  
central auditory processing  
  disorder, 493, 904  
cervical dysfunction, 720  
childhood hearing loss, 178, 250, 273, 417, 703  
children, 6, 552, 677, 94  
chirp, 396  
click-evoked ABR, 904  
client oriented scale of  
  improvement, 327  
clinical consultation, 810  
clinician-client communication, 810  
cochlear implant, 235, 396, 731  
cochlear implant guidelines, 827  
cochlear implantation, 607, 918  
cochlear implants, 198, 235, 396, 607, 659, 677, 703, 731, 827  
cochlear microphonics, 672  
cognitive load, 264  
cognitive performance, 169  
COM-B model, 417  
communication, 810  
communication partners, 810, 871  
compression speeds, 590  
confidence, 66  
content validity, 227
- contralateral routing of signal, 235, 579  
conversation analysis, 810  
cortical auditory evoked potential, 564  
counseling, 66, 406, 677  
CROS, 235  
culture, 78
- decision consistency, 363  
depression, 802  
diabetes, 459  
diagnostic audiometry, 217  
dichotic listening, 264, 451, 579  
dichotic listening tests, 282, 363, 579  
digital noise reduction, 103, 131  
directional microphone, 731  
distortion product otoacoustic  
  emissions, 178  
distortion product otoacoustic  
  emissions screening, 178, 250  
divided attention, 264  
dizziness, 764  
duration pattern test, 6
- earplugs, 78  
education, 227, 273  
electrically evoked compound action  
  potential, 918  
electrocochleography, 41  
electrode, 41  
electrode montage, 357  
electronystagmography, 883  
electrophysiology, 451  
epidemiology, 282  
Etymotic, 208  
eustachian tube dysfunction, 781  
exercises, 720  
extended high frequencies, 217  
extended input dynamic range, 634  
eye movements, 883
- face shadow effect, 235  
face validity, 227  
fast-acting compression, 590  
Filipino, 78  
fine structure, 459  
fit-to-targets, 346  
frequency lowering, 552
- Ghana, 178  
goal planning, 327  
Gulf War Illness, 764
- habituation, 896  
head shadow effect, 235  
health care, 273  
health information quality, 31  
hearing, 250  
health information readability, 31  
hearing aid management, 250, 634
- hearing aid, 103, 131, 516  
hearing aid satisfaction, 103, 131, 302, 634  
hearing aids, 16, 93, 103, 131, 227, 250, 417, 472, 502, 516, 552, 634, 703, 856  
hearing aids and assistive listening  
  devices, 93, 103, 131, 198, 227, 250, 406, 417, 552, 579, 634, 659, 703,  
  hearing health care, 208, 250  
hearing health-care uptake, 208, 250  
hearing healthcare, 250  
hearing loss, 131, 250, 273, 417, 472, 482, 703, 845, 856  
hearing preservation, 250, 918  
hearing protection devices, 78, 250  
hearing science, 659  
hearing screening, 145, 178, 250  
HHC, 871  
HI, 871  
high-frequency hearing, 169, 250  
HINT, 315  
Home Hearing Test, 208  
human immunodeficiency virus, 482  
hyperacusis, 712, 772, 802
- infant hearing screening, 145, 178, 250  
initial-fit, 346  
insomnia, 802  
instantaneous compression, 16  
instrumentalists, 856  
interaction analysis, 810  
internet health information, 31  
ipod, 619
- kiosk, 250  
Korle-bu Teaching Hospital, 178
- large vestibular aqueduct  
  syndrome, 677, 792  
latency, 357  
listening, 580  
listening levels, 153  
loud music, 78
- Mandarin monosyllable recognition  
  test, 187, 590  
manual therapy, 720  
manufacturer fitting, 346  
masking release, 16  
maximum amplitude, 918  
medial olivocochlear reflex, 792  
memory demands, 264  
menopause, 493  
mHealth, 217  
middle latency responses, 396  
mild hearing loss, 93, 131  
mixed methods, 516

mobile health, 482  
 MOCR, 792  
 monaural, 579  
 music perception, 856  
 musician, 78  
 musicians, 856  
  
 n-back, 169  
 N1-P2, 451  
 N10 amplitude, 357  
 negative effects, 472  
 newborn hearing screening, 178, 250, 145  
 noise, 131, 459  
 noise-induced hearing loss, 217, 250, 273, 417, 703  
 nonlinear frequency compression, 103, 552  
 normal hearing, 169, 250  
 normal hearing for pure tones, 370  
 nystagmus, 883  
  
 older adults, 208, 552, 753  
 otoacoustic emission, 459  
 otoacoustic emissions screening, 178, 250  
 otolith, 357  
 ototoxicity, 217  
 outcomes, 516  
 oVEMP, 293  
  
 parental mental health, 772  
 parental separation, 772  
 parents, 677  
 patient perspective, 856  
 patient-centered care, 810  
 pediatric, 703, 810  
 pediatric audiology, 66, 178, 198, 250  
 performance-intensity functions, 315  
 personal audio systems, 619  
 phase-locking, 357  
 photo voice, 406  
 physicians, 677  
 pitch pattern test, 6  
 positional nystagmus, 883  
 posttraumatic stress disorder, 764  
 presbycusis, 208  
 prescribed gain, 346  
 probe tube placement, 227  
 psychological assessment, 712, 792  
 psychosocial concerns, 810  
 public health, 208  
 pure-tone hearing thresholds, 712  
 pure-tone thresholds, 54, 619, 918  
  
 qualitative, 856  
 questionnaire, 327, 896  
  
 R-SPACE™, 235  
 rate processing, 533  
 reading difficulties, 533  
 real-ear, 227  
 real-ear measures, 346  
 recreational noise-induced hearing loss, 131, 619, 703  
 reliability, 302  
 reliability and validity, 694  
 remote microphone technology, 431  
 remote wireless microphone system, 607  
 residual hearing, 250, 918  
 response amplitude, 357  
 response filter set, 753  
 risk factors, 153  
  
 saccades, 744  
 SCDS, 293  
 scoring methods, 694  
 screening, 250  
 selective attention, 264  
 self-report, 131, 145  
 self-reported hearing, 564  
 self-test, 208  
 sensorineural hearing loss, 131, 370, 417, 677, 703  
 sensory gating, 896  
 shared decision-making, 810  
 side effects, 472  
 SII, 703  
 simulation, 227  
 single-sided deafness, 607  
 slow-acting compression, 590  
 smartphone, 217  
 smartphone-connected listening devices, 417, 579  
 somatosensory tinnitus, 720, 772  
 sound localization, 564  
 sound quality, 552  
 spatial advantage, 54  
 spatial processing, 451  
 spectro-temporal processing, 533  
 speech in noise, 115  
 speech in noise test, 131, 315  
 speech perception, 131, 370  
 speech recognition abilities, 564, 590  
 speech recognition in noise ability, 54, 131, 459, 590, 607, 845  
 SSQ, 564  
 static, 883  
 stimulus polarity, 357  
 stimulus rate, 41  
 student, 273  
 sub-Saharan Africa, 178  
 summing potential, 41  
 superior canal dehiscence, 293  
 synaptic transmission time, 904  
 synchronous telehealth model, 178, 208  
  
 task-evoked pupil response, 264  
 tasking, 792  
 technology assessment, 363, 792  
 tele-audiology, 178, 250, 810  
 teleaudiology, 208, 250, 810  
 telecoil, 502  
 telehealth, 178, 208  
 telemedicine, 178  
 telephone, 502  
 telephony, 187  
 temporal sampling, 533  
 temporary threshold shift, 619  
 TEOAE, 792  
 test-retest reliability, 744  
 test-retest variability, 41  
 Theoretical Domains Framework, 417  
 tinnitus, 802  
 tinnitus, 31, 169, 327, 772, 802, 896  
 tinnitus functional index, 327, 772, 802  
 tinnitus handicap inventory, 327, 772, 802  
 tinnitus handicap questionnaire, 327, 772, 802  
 tinnitus loudness, 712, 772, 802  
 tolerable noise level, 131, 302  
 tracking of noise tolerance, 131, 302  
 training, 227  
 transient evoked otoacoustic emissions, 792  
  
 uncomfortable loudness levels, 712  
 unilateral cochlear implant, 579, 607, 731  
 unilateral hearing loss, 93, 131, 235, 250, 273, 417, 564, 703  
 utricle, 293, 357, 753  
  
 variable speed compression, 590  
 vascular health-related factors, 282  
 verification, 703  
 vertigo, 764  
 vestibular, 293, 792, 884  
 vestibular evoked myogenic potential, 357, 792  
 vestibulo-ocular reflex, 792  
 veterans, 764  
 vHIT, 744  
 videonystagmography, 883  
 VNG, 792  
 VOR, 792  
 VOR gain, 744  
  
 wideband absorbance, 781  
 word recognition, 370, 590  
 working memory, 169  
  
 young adults, 153