P. ZHAO, Y. GUO, X. LUAN* (NORTHWEST UNIVERSITY, XI'AN AND NANKAI UNIVERSITY, TIANJIN, P. R. OF CHINA)

 $Total \ Synthesis \ of \ Dales conol \ A \ by \ Pd(0)/Norbornene-Catalyzed \ Three-Fold \ Domino \ Reaction \ and \ Pd(II)-Catalyzed \ Trihydroxylation$

J. Am. Chem. Soc. **2021**, *14*3, 21270–21274, DOI: 10.1021/jacs.1c12118.

Total Synthesis of (±)-Dalesconol A

Significance: (±)-Dalesconol A was first isolated from the fungus *Daldinia eschscholzii* and displays significant immunosuppressive properties. The natural product features a heptacyclic, highly oxidized carbon skeleton.

Comment: Heptacycle **E** was efficiently accessed via norbornene/Pd(0)-catalyzed coupling and cyclization reaction of **B** and **C**, followed by an intramolecular Michael addition. Pd(II)-catalyzed trihydroxylation of **G** gave triol **H**, which was further elaborated into (±)-dalesconol A.

SYNFACTS Contributors: Erick M. Carreira, Marlene Fadel Synfacts 2022, 18(03), 0227 Published online: 16.02.2022 **DOI:** 10.1055/s-0041-1737867; **Reg-No.:** C00522SF

Category

Synthesis of Natural Products and Potential Drugs

Key words

(±)-Dalesconol A
palladium catalysis
polycyclization
Catellani reaction
Michael addition
C–H hydroxylation

