



Improving COVID-19 Research of University Hospitals in Germany: Formative Usability Evaluation of the CODEX Feasibility Portal

Brita Sedlmayr¹ Martin Sedlmayr¹ Björn Kroll² Hans-Ulrich Prokosch³ Julian Gruendner³
Christina Schüttler³

¹Institute for Medical Informatics and Biometry, Carl Gustav Carus Faculty of Medicine, Technische Universität Dresden, Dresden, Germany

²IT Center for Clinical Research, University of Lübeck, Lübeck, Germany

³Department of Medical Informatics, Biometrics and Epidemiology, Chair of Medical Informatics, Friedrich-Alexander Universität Erlangen-Nürnberg, Erlangen, Germany

Address for correspondence Brita Sedlmayr, Dr. rer. biol. hum., Institute for Medical Informatics and Biometry, Carl Gustav Carus Faculty of Medicine, Technische Universität Dresden, Fetscherstraße 74, 01307 Dresden, Germany (e-mail: brita.sedlmayr@tu-dresden.de).

Appl Clin Inform 2022;13:400–409.

Abstract

Background Within the German “Network University Medicine,” a portal is to be developed to enable researchers to query on novel coronavirus disease 2019 (COVID-19) data from university hospitals for assessing the feasibility of a clinical study.

Objectives The usability of a prototype for federated feasibility queries was evaluated to identify design strengths and weaknesses and derive improvement recommendations for further development.

Methods In the course of a remote usability test with the thinking-aloud method and posttask interviews, 15 clinical researchers evaluated the usability of a prototype of the Feasibility Portal. The identified usability problems were rated according to severity, and improvement recommendations were derived.

Results The design of the prototype was rated as simple, intuitive, and as usable with little effort. The usability test reported a total of 26 problems, 8 of these were rated as “critical.” Usability problems and revision recommendations focus primarily on improving the visual distinguishability of selected inclusion and exclusion criteria, enabling a flexible approach to criteria linking, and enhancing the free-text search.

Conclusion Improvement proposals were developed for these user problems which will guide further development and the adaptation of the portal to user needs. This is an important prerequisite for correct and efficient use in everyday clinical work in the future. Results can provide developers of similar systems with a good starting point for interface conceptualizations. The methodological approach/the developed test guideline can serve as a template for similar evaluations.

Keywords

- ▶ clinical research informatics
- ▶ workflows and human interaction
- ▶ interfaces and usability
- ▶ user acceptance and resistance
- ▶ evaluation
- ▶ COVID-19

Background and Significance

The Corona epidemic is a challenge that urgently requires new strategies for action, not only to stop the spread of the

virus but also to ensure the best possible medical care for patients. In this context, a rapid gain of knowledge, as well as an exchange of procedures, and best practices have been on high priority. As a result, many new applications have

received
September 10, 2021
accepted
January 3, 2022

DOI <https://doi.org/10.1055/s-0042-1744549>.
ISSN 1869-0327.

© 2022. The Author(s).

This is an open access article published by Thieme under the terms of the Creative Commons Attribution-NonDerivative-NonCommercial-License, permitting copying and reproduction so long as the original work is given appropriate credit. Contents may not be used for commercial purposes, or adapted, remixed, transformed or built upon. (<https://creativecommons.org/licenses/by-nc-nd/4.0/>)

Georg Thieme Verlag KG, Rüdigerstraße 14, 70469 Stuttgart, Germany




Fig. 1 Architecture of the National Research Data Platform.

emerged that enable the analysis of various data sources^{1–3} and support decision makers. In addition, medical researches with routine data are of particular importance; to gain knowledge about the novel coronavirus disease 2019 (COVID-19) as quickly as possible and to be able to develop approaches for new therapies, it is necessary that researchers can access data from clinical care collectively and across locations. Appropriate platforms for shared access to routine data have been developed in various countries, although only a few national solutions have emerged. In the United Kingdom, for example, the platform OpenSAFELY, the COVID-19 Research Platform,⁴ or C19, a COVID-19 research database,⁵ combining primary care electronic health record and patient reported information. In Germany, too, a national research data platform called “CODEX, Covid-19 Data Exchange Platform,”⁶ is to be developed within the German “Network University Medicine (NUM)”⁷ that will make data available to researchers nationwide in a standardized manner and in compliance with data protection laws. Part of this platform is a so-called “Feasibility Portal” (Fig. 1) which is intended to enable researchers to find out whether sufficient patient data are available within the data integration centers of the NUM university hospitals for conducting clinical research and, in a subsequent step, to be able to request the use of the data centrally. Until now, requests for the availability of routine data for research were made by telephone or e-mail and required the conclusion of a data usage contract with each hospital which is a very time-consuming process.

In the development of this “Feasibility Portal,” a special focus should be placed on the user friendliness of the portal, so that the portal can be used intuitively and effectively. So far, there are only a few studies that address the usability of research platforms, for example,^{8–12} the results of these

studies vary widely, ranging from poor to good usability. Usability problems that have been identified include, for example, confusing terms,^{8,10,13} complexity of the user interface,^{12,13} or lack of appropriate system feedback.^{12,13} Published reports on the usability of COVID-19 research data platforms, feasibility portals for COVID-19 research, in particular, do not exist at present which indicates the need for further research. The presented paper aims to fill this gap in scientific literature.

Objectives

The objective of the study was to evaluate the usability of a first prototype to provide specific recommendations for the further development of the portal (formative usability study). For this, we focused primarily on the usability criteria “effectiveness” and “satisfaction”¹⁴ to answer the following questions:

- Can feasibility queries be entered completely and correctly with the current interface?
- Which positive aspects of the interface design are mentioned?
- Which usability problems occur when entering feasibility queries and how is the severity of the problems rated?
- What recommendations for improving the user interface can be derived from the usability problems?

Methods

Study Design

The usability study was conducted as a moderated remote test via the communication software “Zoom” (<https://zoom.us/>) in the period April to May 2021. A qualitative approach

consisting of an explorative usability walkthrough combined with the method of “thinking aloud” (i.e., testers express their thoughts aloud while working on the task)¹⁵ and additional interview questions was applied. We decided on a remote test to be able to reach clinical researchers easily in times of the nationwide lockdown and to collect user feedback within a short time. Regarding the identification of critical problems and the complete processing of test items, remote tests can be considered equivalent to laboratory tests.^{16,17} Walkthroughs with the thinking aloud method and interviews are established methods in usability research and have been used in this combination many times for the evaluation of clinical systems^{18,19}.


Evaluated Prototype of the CODEX Feasibility Portal

A first prototype of the Feasibility Portal was evaluated which enabled feasibility queries of COVID-19 relevant data based on the uniform nationwide dataset “German Corona Consensus Data Set” (GECCO).²⁰ The Feasibility Portal is aimed at scientists/medical researchers who want to search for COVID-19 relevant data, nationally across multiple institutions from one central place. Inclusion and exclusion criteria can be searched for and added to the query via a corresponding free-text search or via a category search (> Fig. 2). For a free-text search, the criteria can be searched

as follows: (1) searched for via the corresponding search field (there is one for inclusion criteria and one for exclusion criteria); (2) selected from the search results displayed below; (3) then the selection is made by clicking on the criteria and the option “Add”; (4) for a category search, the folder icon next to the search field has to be clicked; (5) the possible categories are displayed from which one can select one by clicking; (6) the corresponding criteria appear under the category, then a criterion is selected by clicking on the checkbox and the option “Add”; (8) selected criteria appear in the field “Selected characteristics” and can be linked with each other using the respective switch buttons “AND-OR”; (9) using a drag-and-drop function, already selected criteria in the “Selected characteristics” area can be swapped (e.g., from inclusion criteria to exclusion criteria) or moved/resorted (e.g., grouping with other criteria) and after entering all characteristics, the query can be started with “Send”; (10) the result of the search is displayed in the upper area under “Number of patients.” In addition, the option “Details” can be used to view how many data records are available at which location/university hospital.


For the test, data from synthetic patients were used. The categorization of the criteria (e.g., the classification of “medication” into the category “other”) was predetermined by the structure of the GECCO dataset. Apart from saving the

A. Prototype home page




B. Search paths of criteria

B1. Free text search



B2. Category search



C. Entered query with search result




Fig. 2 Screenshots of the CODEX Feasibility Portal (development status: April 2021). Explanation of search paths for criteria: Free text search of criteria via: (1) entering the search term, (2) displaying the search results and selection, (3) adding the search result; Category search of criteria via: (4) selecting the icon, (5) selecting the category, (6) selecting the search result, (7) adding the search result; Linking the entered criteria via: (8) toggle buttons “AND-OR”; displaying the query results via: (9) sending, (10) displaying details (respective clinics in which the data are available).

entered query, all intended functions for this version of the prototype were accessible to the test participants.

Participants

The target group of the study was medical researchers who need COVID-19-relevant patient data and, therefore, need to define “their” cohort. All sites involved in the CODEX project were approached to recruit participants. Eleven sites were willing to participate in the study. A total of 16 test participants were approached who corresponded to the target group of the Feasibility Portal; of these, 15 participants agreed to test the prototype. A description of the test participants can be found in [Table 1](#).

Table 1 Description of the sample

Variable	n	%
Age group		
25–34 years	5	33.33
35–44 years	8	53.33
45–50 years	2	13.33
Gender		
Male	8	53.33
Female	7	46.67
Professional group		
Study manager	1	6.67
Medical researcher/ clinician scientist	9	60.00
Research assistant	2	13.33
Other group (e.g., quality manager of a biobank, em- ployee in the Coordination Centre for Clinical Trials)	3	20.00
Professional experience		
Professional experience in years ^a	Mean: 4.96 years	SD: 5.983 years
Experiences with the query of case numbers for clinical studies		
No/little experience	8	53.33
Some experience	7	46.67
Previous experience with similar systems		
no	6	40.00
yes	9	60.00
Computer skills/knowledge		
medium: I get along well with most systems.	8	53.33
high: I have a lot of expe- rience and am technically proficient.	7	46.67

Abbreviation: SD, standard deviation.

Note: Absolute number and frequency per category.

^aFor work experience, the mean and standard deviation were calculated.

Testing Procedure

At the beginning of the study, consent of the participants was obtained via e-mail (signed, scanned, and returned consent forms). If consent was given, participants were sent an e-mail with a link for the access to the communication software “Zoom,” as well as the task sheet ([Supplementary Appendix A](#), available in the online version), with the request to have it ready for the test. After dialing in via “Zoom,” the participants were welcomed by the test leader and received the link to the prototype via the chat option in “Zoom.” After the participants had opened up the prototype link, they received further instructions from the test leader on how to process the tasks. At any time during the task, the participants were asked to express their thoughts aloud. Positive comments, expressed usability problems, as well as the correctness of the processing of tasks, were noted by the test leader in a paper protocol prepared for this purpose. After completing the tasks, the participants were interviewed on specific usability aspects and asked about demographic characteristics and previous experience. The interview answers were written down by the test leader in a structured record sheet. The test guide with the protocol sheets, interview questions, and answer options can be found in [Supplementary Appendix B](#) (available in the online version). For backup reasons, the test sessions were additionally recorded using “Zoom.” The duration of each test session was 30 to 45 minutes.

Test Tasks

In consultation with clinical researchers and developers, the evaluation team defined two test tasks that (1) can be completed with the current prototype of the Feasibility Portal, (2) are typical for a query as it is currently performed by researchers, and (3) vary in their degree of complexity ([Supplementary Appendix A](#), available in the online version). The determinant for successful completion of each task was entering all criteria completely and linking them correctly. By triggering the search, the task was considered completed.

Posttask Interviews

To obtain a final judgment on the usability aspects of completeness of functions, ease of use, operating logic, navigation, and information presentation/esthetics, a corresponding interview questionnaire was developed. In addition, an interview questionnaire was constructed to collect demographic information such as age, gender, and professional experience, as well as to determine expertise and previous experience with similar systems ([Supplementary Appendix B](#), available in the online version). Both interview questionnaires were developed in accordance with the SPSS method of interview guideline development according to Helfferich²¹ and checked in advance in a pretest.

Data Analysis

The handwritten paper protocols were transferred to MS Word and summarized in MS Excel; the correctness of task completion was counted per task across all participants. The

named usability problems were summarized for all participants, deleting duplicate problems and noting how many participants named the problem in total. Excluded from this were problems caused by an intended functional limitation of the prototype or the structure of the stored GECCO dataset (see also “Evaluated Prototype of the CODEX Feasibility Portal”). The severity of the usability problems was assessed by two independent, trained persons using the “Severity Scale” according to Nielsen: 0 = “I don’t agree that this is a usability problem at all,” 1 = “Cosmetic problem only: need not be fixed unless extra time is available on project,” 2 = “Minor usability problem: fixing this should be given low priority,” 3 = “Major usability problem: important to fix, so should be given high priority,” and 4 = “Usability catastrophe: imperative to fix this before product can be released.”²² Rating differences of the two evaluators were discussed until consensus was reached. For the interview protocols on usability aspects, it was counted across all participants whether the respective aspect (e.g., ease of use, ease of navigation) was assessed as “fulfilled” or in “need of improvement.” The suggestions for improvement named by the participants were key worded. Interview responses related to demographic characteristics and prior experience were evaluated according to their frequency of the given answer categories. The results were used to describe the sample. In the follow-up to the test sessions, the evaluation team worked out proposals for solutions to the identified usability problems; the proposals named by the participants in the interviews were taken into account for this.

Results

Task Success

The results of the task success can be found in [Fig. 3](#). It shows that the tasks could be completed successfully for the most part, but that user errors still occur. In task 1, one participant tried to enter “COVID” in the search box to find the corresponding medication. However, this did not work




Fig. 3 Correctness of task processing across all subjects ($n = 15$).

because the medications are not tagged with “COVID.” In task 2a, one participant mistakenly defined all criteria as exclusion criteria and two participants linked the inclusion criteria with “AND” instead of “OR.”

Positive Aspects

Positive aspects mentioned during the task processing were that the portal is easy and intuitive to use. From the user’s point of view, entering criteria works very well, as it is simple and easy to navigate within the application. Features can be found quickly via the free-text search, even if one does not know under which category the criteria can be found. The search is already performed when typing or narrows down with each additional letter which is perceived as comfortable. The way of presenting the linkage (“bracketing”) of the criteria was well received by the participants; the linkage type can be changed quickly. The drag-and-drop function for changing the criterion type (exclusion/inclusion) in each case is a very elegant solution and works well. The execution of the query and receiving a result works quickly. The interface is not overloaded and, therefore, very clear.

The results of the interview questionnaire support this picture: The majority of the participants ($> n = 11$) consider the application to be visually appealing, easy to navigate, logical in its operation, usable with little effort, and complete in terms of functionality ([Fig. 4](#)). When asked about the intention to use/acceptance, all participants stated that they would use the Feasibility Portal in their work.

Usability Problems

A total of 26 user problems were identified of which 8 problems were rated as “cosmetic,” 6 as “minor,” 4 as “major,” and 8 as “catastrophic.” In the following, the serious problems (“major usability problem” or “usability catastrophe”) are presented ([Fig. 5](#)). A complete overview of all identified problems can be found in [Supplementary Appendix C](#) (available in the online version).

One of the main problems was that there are different default settings for the linking type for the inclusion criteria (“AND”) and exclusion criteria (“OR”) in the area “Selected characteristics” and that the different areas for the inclusion and exclusion criteria are not visually distinguishable enough. As a result, the participants assumed that criteria to be linked with “OR” must always be sorted into the right-hand area (this is actually the area for the “exclusion criteria”) or inadvertently selected a wrong linkage for the exclusion criteria.

Problems also arose regarding the different visual design of the linkage in the inclusion and exclusion criteria: the “OR” linkage of the inclusion criteria was presented as “connecting” between the characteristics; for the exclusion criteria, however, it was presented as “visually separating.” This led to confusion among the participants. It is also problematic that the user expects to be able to change the type of link from “AND” to “OR” before adding another feature. This, however, only works after another criteria has been entered. Another problem is the case sensitivity of the free-text search which, for example, made ICD codes undetectable when searching




Fig. 4 Results of the interview questionnaire on usability.




Fig. 5 Visualization of usability problems with the most urgent need for revision.

with lowercase letters. The user, therefore, receives no search result. Additionally, the user expects that "smoking status" can be found with the search term "nicotine," since "nicotine abuse" is the usual term documented in routine; however, the search does not find the term "nicotine." Furthermore, problems occurred with the restriction of the characteristic

"age," since no "unit" can be selected. In addition, there were problems due to a delayed reaction of the system. In the category search, the subcategories only folded out after several clicks on the arrows in front of the characteristics/the characteristic designation. As a result, the participants initially assumed that the entire upper

category had to be added first. However, this does not work in the system. Moreover, the portal “crashed” for some participants after clicking on the “Details” option. It was observed that a medication search via the category tree is very time consuming or is even aborted if the code is unknown, since the drugs are not sorted alphabetically and a sorting option is missing. The individual levels of the category tree are not easily distinguishable for the user; as it partly contains many subentries, the selection option of the criterion “essential (primary) hypertension” is overlooked. Due to the visual indentation of the criterion “Smoker status” under “Active tumour disease,” the user assumes that this criterion is assigned to “Active tumour disease” and overlooks the criterion or does not recognize it immediately.

Improvement Recommendations

The solutions developed for the usability problems can be found in **Supplementary Appendix C** (available in the online version). The severity rating of each usability problem indicates the priority with which an adjustment should be implemented. The most urgent revisions for the next iteration of the Feasibility Portal would be to (1) clearly highlight the criteria in the “Selected Characteristics” as inclusion or exclusion criteria, (2) eliminate the time delay in selecting characteristics from the “category tree,” and (3) implement a comprehensive free-text search.

Discussion

To assess the quality of the interface design of the CODEX Feasibility Portal, a remote usability test was conducted with clinical researchers during the development phase.

Task Success

With regard to the effectiveness of our portal and the question of whether tasks can be successfully completed with the system, it became apparent that this is predominantly the case, but mistakes are still made. In task 1, 1 out of 15 testers could not complete the task correctly; in task 2, this was the case for 3 out of 15 testers. Direct comparative studies regarding effectiveness for our type of national platform for COVID-19 research do not exist. However, in comparison to usability studies of other research platforms for the identification of cohorts for clinical trials, our platform leads to more correct task completion; with the platforms “ATLAS” and “i2b2,” only 50% of the tasks could be completed correctly¹²; with the platform “EHR4CR,” two tasks were completed correctly and completely in 10 out of 13 cases, one task was completed correctly by 4 out of 12 testers.¹⁰ From this, it can be cautiously concluded that the interface of our application is more intuitive and self-explanatory than other research platforms. However, our portal is far less complex, has a smaller range of functions than the named query builders, and was tested with other yet similar query tasks.

Positive Aspects of the Interface Design

Positive design aspects refer to the simple and intuitive use of the portal and its clearly designed user interface. This places

our results in line with the usability results of similar query tools; the “EHR4CR” platform was also rated as user friendly, for example, in terms of a user friendly terminology, the easy-to-use drag-and-drop function and the layout, thus highlighting similar positive aspects.¹⁰ However, the research platform has a different operating concept than ours (a purely graphical operating concept and selection of criteria via building blocks). A usability study of the “Sample Locator” also shows that it is clearly and intuitively designed.¹² The aspects of easy and fast input of queries were particularly emphasized which was also noted as a positive design aspect for our portal. However, compared with our system, the “Sample Locator” has fewer functions (e.g., there is no query option regarding anamnesis/risk factors, laboratory values, or therapy, and inclusion criteria cannot be put into an “OR” relationship across all criteria).

Usability Problems and Suggestions for Improvement

Numerous usability problems could still be identified in our current version. The usability problems rated as most serious relate mainly to a visually poor differentiation of the inclusion/exclusion criteria in the “Selected characteristics” field and the default setting of “OR” in the selected exclusion criteria area which leads to confusion errors. Other usability studies also show that unclear presentation of items is a major cause of user dissatisfaction¹³ and that good design of linking options is one of the problem areas of such query systems; for example, Schüttler et al¹² found that out of three query systems evaluated (ATLAS, i2b2, and Sample Locator), all systems had difficulties in use due to poor design of linking operators. The study by Soto-Rey et al¹⁰ also shows that confusion about the order in which criteria should be linked is a major cause for user difficulties or incorrectly completed tasks. The design of such links is not a simple undertaking. On one hand, they must consider all possible combinations of inclusion and exclusion possibilities (and time constraints), and, on the other hand, they should be as self-explanatory as possible in their linking logic. The evaluation shows us that we are on the right track and that the basic presentation is good, but that there is still a need to make the criteria more visually distinguishable to keep the default settings for inclusion and exclusion criteria the same and to keep the visual presentation of the linkage displays consistent.

In addition, we also found that a delayed response of the system in the category display and a limited search function led to problems. Other studies have also identified similar problems. The study by Schüttler et al,¹² for example, showed that due to the delayed display of the “ATLAS” query tool, participants assumed that they had entered the query incorrectly and then took further detours or changed their already correctly entered characteristics in such a way that the query was ultimately incorrect. The importance of a good and functioning search concept is shown by the study by Hultman et al²³ which identifies this as an important problem area for lack of completeness in task processing.

For each usability problem, we have developed corresponding solution proposals to fix the problems in a next

iteration. The severity rating helps us prioritize our work in the pandemic period and be the first to address the most serious issues from a user perspective. After the solutions have been implemented, however, they must be tested again to determine whether the design revisions do not provoke new problems.

Usability Key Aspects for Future Feasibility Portals

From our experience, we would like to share the following key aspects and lessons learned that can serve as important input for the future development of similar national portals:

- User satisfaction is primarily influenced by a clear, minimalist design, and a simple, quick, and instantaneous selection of criteria.
- An intelligent search should be offered; this should take into account synonyms for certain clinical pictures (e.g., COPD for chronic obstructive pulmonary disease), as well as no adherence to case sensitivity.
- Selected inclusion and exclusion criteria should be clearly identified as such. In the case that criteria restrictions have been made, the type of restriction should also be displayed textually in addition to the criteria name after adding this criteria.
- The operators for linking the inclusion and exclusion criteria should have identical default settings. The respective linkage type should be visually displayed in the same way for both the inclusion criteria and the exclusion criteria.
- For linking characteristics, users take different paths: (1) select characteristic 1 and select link operator, enter characteristic 2; or (2) select characteristic 1, select characteristic 2, and define link between characteristics. A design should be flexible and support both approaches.

Limitations

Our study has some limitations. A disadvantage of our qualitative approach is that the chosen methods are not suitable for detailed statistical analysis. Thus, we cannot quantify the usability of our prototype. An alternative would have been to use quantitative standardized usability questionnaires, for example, the "System Usability Scale."²⁴ However, such standardized usability questionnaires are not suitable for detecting specific usability problems and recording reasons for operating difficulties, so we decided against this procedure. Another limitation is that due to the 45-minute time slots per person, we had to choose a rather pragmatic approach and could only test the prototype on two tasks with few interview questions. Yet, our results show that we were able to identify many relevant operating problems. We only tested with 15 participants. Nevertheless, we found that already with this number of testers, a certain saturation effect was reached, and the same problems were identified several times. This is also confirmed by the literature: according to Nielsen,²⁵ 15 participants discover almost all usability problems. Furthermore, we have not conducted a comparative study. However, a comparison with the conventional way of working would not have made sense because the researcher would have had to request all the data

separately from the clinics which would always have taken longer and been more cumbersome than an electronic implementation.

Conclusion

Although the interface is already well designed in terms of functionality, navigation, ease of use, logic of operation, and layout, several usability problems could be identified. Improvement proposals were developed for these user problems which will guide further development and adaptation of the Feasibility Portal to user needs. This is an important prerequisite for ensuring that the portal can be used correctly in everyday clinical work in the future. Our research will continue within the ABIDE_MI project²⁶ where we will implement the revisions identified in the study and add further functionalities to the portal (more datasets and a temporal linkage of the criteria). The results of our study can help to avoid usability problems with similar portals in the future. Our methodological approach can be used and adapted by other developers of similar systems when only limited time is available for an evaluation and a pragmatic approach is required.

Clinical Relevance Statement

Our interface concept can be used by other researchers and developers for further developments of similar portals. Core aspects for usability which we have derived from our results can serve as input for an adapted design. Furthermore, we present a pragmatic procedure that is easily transferable to various other areas and similar systems and with which prototypes can be evaluated well with clinical end users. This applies, especially in the COVID-19 situation, particularly when distance is required, and participants can only allow themselves very little time for an evaluation. With our results, we contribute to filling the gap in the existing research literature: To date, there are no studies that have evaluated the usability of national research data platforms that are based on routine data and support COVID research.

Multiple Choice Questions

1. What combination of methods was used to test the interface of the developed feasibility portal?
 - a. Logging and questionnaire
 - b. Video observation and questionnaire
 - c. Thinking-aloud method and questionnaire
 - d. Thinking-aloud method and posttask interviews

Correct Answer: The correct answer is option d The Feasibility Portal was first tested with the method of thinking aloud, then the test participants were asked about the usability and acceptance of the portal in post-task interviews.

2. In which area did problems of use/usability occur most frequently?

- a. Color scheme of the interface
- b. Navigation within the portal
- c. Correct linking of parameters
- d. Labeling of options.

Correct Answer: The correct answer is option c. The correct linking of the parameters was the task with the most uncertainty and problems for the test participants. Design weaknesses mainly relate to a less visual distinguishability of selected features as inclusion and exclusion criteria and the lack of uniform presentation of the linkage options.

Protection of Human and Animal Subjects

The study was performed in compliance with the World Medical Association Declaration of Helsinki on Ethical Principles for Medical Research Involving Human Subjects, and was reviewed and approved by the Institutional Review Board at Friedrich-Alexander-Universität (FAU) Erlangen-Nürnberg (Germany; approval number: 85_21B). Participants were informed of the contents prior to study participation and voluntarily consented to participate.

Author Contributions

B.S. wrote the first version of the manuscript. B.S. and C.S. planned and conducted the usability study which was supervised by H.-U.P. and M.S.. J.G. held the team lead. B. S., C.S., J.G., and B.K. were significantly involved in the conceptual design and development of the evaluated prototype. C.S. and H.-U.P. were responsible for the recruitment of the participants. B.S. and C.S. analyzed all thinking aloud and interview protocols and the recorded screen videos. All authors read the first version of the manuscript and provided valuable suggestions for changes.

Funding

The study was conducted as part of NUM CODEX. NUM CODEX is funded by the German Federal Ministry of Education and Research (BMBF; FKZ 01KX2021).

Conflict of Interest

None declared.

Acknowledgments

The authors of the study would like to thank all participating CODEX sites: Augsburg, Dresden, Erlangen, Greifswald, Hamburg, Jena, Cologne, Leipzig, Lübeck, Mannheim, Regensburg, and Tomas Köhler who refined the GUI. A very special thanks goes to all scientists and researchers who participated in this study and gave us a valuable insight into the usability of the CODEX Feasibility Portal through their “loud thoughts” and interview responses.

References

- 1 Wilson GM, Ball MJ, Szczesny P, et al. Health intelligence atlas: a core tool for public health intelligence. *Appl Clin Inform* 2021;12(04):944–953
- 2 Fareed N, Swoboda CM, Chen S, Potter E, Wu DTY, Sieck CJUS. U.S. COVID-19 state government public dashboards: an expert review. *Appl Clin Inform* 2021;12(02):208–221
- 3 Sullivan C, Wong I, Adams E, et al. Moving faster than the COVID-19 pandemic: the rapid, digital transformation of a public health system. *Appl Clin Inform* 2021;12(02):229–236
- 4 The DataLab. OpenSAFELY. Accessed December 8, 2021 at: <https://www.opensafely.org/about/>
- 5 Stanley B, Davis A, Jones R, et al; Platform C19 committee. Characteristics of patients in platform C19, a COVID-19 research database combining primary care electronic health record and patient reported information. *PLoS One* 2021;16(10):e0258689
- 6 CODEX | COVID-19 Data Exchange Platform. Accessed December 8, 2021 at: <https://www.netzwerk-universitaetsmedizin.de/projekte/codex>
- 7 Charité-Universitätsmedizin Berlin. Forschungsnetzwerk der Universitätsmedizin zu COVID-19 (“Netzwerk Universitätsmedizin”). Accessed December 8, 2021 at: <https://www.netzwerk-universitaetsmedizin.de/>
- 8 Christoph J, Knell C, Bosserhoff A, et al. Usability and Suitability of the Omics-Integrating Analysis Platform tranSMART for Translational Research and Education. *Appl Clin Inform* 2017;8(04):1173–1183
- 9 Wozney L, McGrath PJ, Newton A, et al. Usability, learnability and performance evaluation of Intelligent Research and Intervention Software: a delivery platform for eHealth interventions. *Health Informatics J* 2016;22(03):730–743
- 10 Soto-Rey I, N'Dja A, Cunningham J, et al. User satisfaction evaluation of the EHR4CR query builder: a multisite patient count cohort system. *BioMed Res Int* 2015;2015:801436
- 11 Mathew D, McKibbin KA, Lokker C, Colquhoun H. Engaging with a Wiki related to knowledge translation: a survey of WhatIsKT Wiki users. *J Med Internet Res* 2014;16(01):e21
- 12 Schüttler C, Prokosch H-U, Sedlmayr M, Sedlmayr B. Evaluation of three feasibility tools for identifying patient data and biospecimen availability: comparative usability study. *JMIR Med Inform* 2021;9(07):e25531
- 13 Kuric E, Fernández JD, Drozd O. Knowledge graph exploration: a usability evaluation of query builders for laypeople. In: Acosta M, Cudré-Mauroux P, Maleshkova M, Pellegrini T, Sack H, Sure-Vetter Y, eds. *Semantic Systems. The Power of AI and Knowledge Graphs*. Switzerland: Springer International Publishing; 2019:326–342
- 14 International Organization for Standardization. Ergonomics of human-system interaction - Part 210: Human-centred design for interactive systems (ISO Standard No. 9241-210:2019). Accessed February 24, 2022 at: <https://www.iso.org/standard/77520.html>
- 15 Jaspers MWM, Steen T, van den Bos C, Geenen M. The think aloud method: a guide to user interface design. *Int J Med Inform* 2004;73(11,12):781–795
- 16 Tullis T, Fleischmann S, McNulty M, Cianchette C, Bergel M. An empirical comparison of lab and remote usability testing of Web sites. In: *Usability Professionals' Association 2002 Conference Proceedings (CD-ROM)*. Bloomington, IL: Usability Professionals' Association; 2002
- 17 Andreasen MS, Nielsen HV, Schröder SO, Stage J. What happened to remote usability testing? An empirical study of three methods. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, New York: Association for Computing Machinery 2007:1405–1414
- 18 Downie AS, Hancock M, Abdel Shaheed C, et al. An electronic clinical decision support system for the management of low back pain in community pharmacy: development and mixed methods feasibility study. *JMIR Med Inform* 2020;8(05):e17203
- 19 Clausen CE, Leventhal BL, Nytrø Ø, et al. Testing an individualized digital decision assist system for the diagnosis and management

- of mental and behavior disorders in children and adolescents. *BMC Med Inform Decis Mak* 2020;20(01):232
- 20 Sass J, Bartschke A, Lehne M, et al. The German Corona Consensus Dataset (GECCO): a standardized dataset for COVID-19 research in university medicine and beyond. *BMC Med Inform Decis Mak* 2020; 20(01):341
- 21 Helfferich C. Interviewplanung und Intervieworganisation. In: Die Qualität Qualitativer Daten: Manual Für Die Durchführung Qualitativer Interviews. VS Verlag für Sozialwissenschaften; 2009:167–193 Doi: 10.1007/978-3-531-91858-7_6
- 22 Nielsen J. heuristic evaluation. In: Nielsen J, Mack RL, eds. Usability Inspection Methods. New York, NY: John Wiley & Sons; 1994:25–62
- 23 Hultman G, McEwan R, Pakhomov S, Lindemann E, Skube S, Melton GB. Usability Evaluation of an Unstructured Clinical Document Query Tool for Researchers. *AMIA Jt Summits Transl Sci* 2018;2017:84–93
- 24 Brooke J. SUS: a “quick and dirty” usability scale. In: Jordan PW, Thomas B, Weerdmeester BA, McClelland AL, eds. Usability Evaluation in Industry. Taylor and Francis; 1996:189–194
- 25 Nielsen J. Estimating the number of subjects needed for a thinking aloud test. *Int J Hum Comput Stud* 1994;41(03):385–397
- 26 Medical Informatics Initiative Germany. ABIDE_MI. Accessed December 8, 2021 at: <https://www.medizininformatik-initiative.de/en/node/609>