## **Erratum**

## Simple and Efficient Syntheses of N-Glyoxyloyl-7,7-dimethylnorbornane-(1S,2R)-oxazolidinone and Its Thio Derivative – Useful Chirons for Diastereoselective Reactions

Iwona Kudyba, Jerzy Raczko, Janusz Jurczak\* Synthesis 2004, 1147.

The compound names for structures 2a, 2b, 3, 5 and 6 were misprinted. The correct names are as follows:

N-Crotonoyl-7',7'-dimethylnorbornane-(1'S,2'R)-oxazolidinone (2a)

N-Crotonoyl-7',7'-dimethylnorbornane-(1'S,2'R)-oxazolidinethione (2b)

N-Glyoxyloyl-7',7'-dimethylnorbornane-(1'S,2'R)-oxazolidinone (3)

N-Glyoxyloyl-7',7'-dimethylnorbornane-(1'S,2'R)-oxazolidinethione Ethyl Acetal (5)

N-Glyoxyloyl-7',7'-dimethylnorbornane-(1'S,2'R)-oxazolidinethione Ethyl Hemiacetal (6)

In the analytical data for these compounds,  $[\alpha]_D^{20}$  values were misprinted as  $[a]_D^{20}$  values, and NMR data were reported as d values instead of the correct  $\delta$  values.

The editorial office apologizes for these typographical errors.