

Ventriculoperitoneal shunting

Sir,

The report on “ventriculoperitoneal shunting” is very interesting.^[1] Nigim *et al.* noted that “laparoscopic ventriculoperitoneal shunting (LVPS)-placement results compare similarly to open ventriculoperitoneal shunting (OVPS) placement in most aspects.”^[1] In fact, LVPS-placement is a new alternative that is considered minimally invasive. In Chinese experience, it is reported that “this method has fewer traumas, quicker recovery and a lower ratio of pipe end obstruction.”^[2] Similar finding is also reported from USA.^[3] Nevertheless, there are also some considerations on this technique. First, the technique required experience neurosurgeon and good case selection. According to recent reports by Bani *et al.*, the important complication of LVPS-placement over OVPS placement is shunt infection.^[4] Hence, the case with risk of infection should not be considered to use this technique.

Sim Sai Tin, Viroj Wiwanitkit^{1,2,3,4}

Medical Center, Shantou, ¹Department of Medical Science Hainan Medical University, Haikou, China, ²Department of Tropical Medicine Faculty of Medicine, University of Nis, Nis,

Serbia, ³Joseph Ayo Babalola University, Ikeji Arakeji, Osun State, Nigeria, ⁴Dr. D. Y. Patil Medical University, Pimpri, Pune, Maharashtra, India

Address for correspondence:

Prof. Sim Sai Tin,
Shantou Medical Center, Shantou 515000, China.
E-mail: simsaitin@gmail.com

References

1. Nigim F, Thomas AJ, Papavassiliou E, Schneider BE, Critchlow JF, Chen CC, *et al.* Ventriculoperitoneal shunting: Laparoscopically assisted versus conventional open surgical approaches. *Asian J Neurosurg* 2014;9:72-81.
2. Li B, Zhang Q, Liu J, Yu H, Hu S. Clinical application of a laparoscope in ventri-peritoneal shunting. *Minim Invasive Ther Allied Technol* 2007;16:367-9.
3. Roth JS, Park AE, Gewirtz R. Minilaparoscopically assisted placement of ventriculoperitoneal shunts. *Surg Endosc* 2000;14:461-3.
4. Bani A, Telker D, Hassler W, Grundlach M. Minimally invasive implantation of the peritoneal catheter in ventriculoperitoneal shunt placement for hydrocephalus: Analysis of data in 151 consecutive adult patients. *J Neurosurg* 2006;105:869-72.

Access this article online

Quick Response Code:	Website:
	www.asianjns.org
	DOI:
	10.4103/1793-5482.154987