

Author's Reply

Sir,

We would like to thank the author for the review and showing great interest in our article. We would also like to thank them for the observations that they have made as well as for clarifications.

Few cases of schwannoma were encountered by us. These had cystic/necrotic changes. MR spectroscopy revealed lipid/lactate peak elevation with significant decrease in choline integral values. However, more cases need to be evaluated related to the significance of these findings.

We concur with the views expressed regarding previous few studies, where the results have been expressed in terms of metabolite ratios.^[1] However, pertaining to our study, where most of the lesions were diffused and histopathological confirmation was available for cases, the comparison was made in relation to integral values of the metabolites and deviation from normal spectra, and metabolite ratios were not used.

Financial support and sponsorship

Nil.

Conflicts of interest

There are no conflicts of interest.

**Babu Peter Sathyanathan, Ravi Ranganathan,
Bharathi Priya Raju, Kailasanathan Natarajan**

Barnard Institute of Radiology, Madras Medical College,
Chennai, Tamil Nadu, India.

E-mail: drbabupeter@gmail.com

Reference

1. Hock A, Henning A, Boesiger P, Kollias SS. 1H-MR spectroscopy in the human spinal cord. *Am J Neuroradiol* 2013;34:1682-9.

This is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

Access this article online	
Quick Response Code:	Website: www.ijri.org
	DOI: 10.4103/ijri.IJRI_417_18

Cite this article as: Sathyanathan BP, Ranganathan R, Raju BP, Natarajan K. Author's Reply. *Indian J Radiol Imaging* 2018;28:482.

© 2018 Indian Journal of Radiology and Imaging | Published by Wolters Kluwer - Medknow